

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product Name: Forum API Modified

Product Code: 89965

Product Use: Thread compound, lubricant Supplier: Forum Energy Technologies

10344 Sam Houston Park Drive, Suite 300

Houston, TX 77064 Tel: 713-351-7900 www.f-e-t.com

Emergency telephone number: +1 813 248 0585, 24 hours

E-mail address for questions

regarding this SDS: sharons@socousa.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification (1272/2008/EC)

Acute oral toxicity Category 4
Acute inhalation toxicity – dust-mist Category 4
Reproductive toxicity Category 1A

Specific target organ systemic toxicity

(repeated exposure)Category 1Acute aquatic toxicityCategory 1Chronic aquatic toxicityCategory 1

GHS label elements



Signal Word:

Danger

Hazard statements:

H302 – Harmful if swallowed H332 – Harmful if inhaled

Date issued: 13 May 2020 Page 1 of 7



H360Df – May damage the unborn child. Suspected of damaging fertility.

H372 – Causes damage to organs through prolonged or repeated exposure

H410 – Very toxic to aquatic life with long lasting effects

Precautionary statements:

P201 – Obtain special instructions before use

P264 – Wash hands thoroughly after handling

P270 – Do not eat, drink or smoke when using this product

P271 – Use only outdoors in a well-ventilated area

P273 – Avoid release to the environment

P281 – Use personal protective equipment as required

P308+P313 – If exposed or concerned: Get medical attention

P405 – Store locked up

Classification (EU Directives 1999/45/EC or 67/548/EEC)

Repr. Cat. 1; R61 – Repr. Cat. 3; R62 – Xn; R20/22 - R33 – N; R50/53

Other hazards: High pressure injection under skin is a medical emergency.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	EC no.	CAS no.	Weight %	Classification (67/548/EEC)	Classification (1272/2008/EC)
Lead	231-	7439-	25-35	Xn; R20/22 –	Acute Tox. 4 H302
	100-4	92-1		R33	Repr. 1A H360Df
				N; R50/53	STOT RE 1 H372
				Repr. Cat. 1;	Acute Tox. 4 H332
				R61	Aquatic Acute 1 H400
				Repr. Cat. 1;	Aquatic Chronic 1
				R62	H410
Zinc	231-	7440-	10-15	N; R50/53	Aquatic Acute 1 H400
	175-3	66-6			Aquatic Chronic 1
					H410
Copper	231-	7440-	1-5	N; R50	Aquatic Acute 1 H400
	159-6	50-8			

Full text of R and H statements used in this section are in Section 16.

4. FIRST AID MEASURES

General: If exposed or concerned, get medical attention or advice.

Inhalation: Move exposed person to fresh air. Get medical attention if symptoms occur. No

symptoms expected.

Ingestion: Wash out mouth with water. Do not induce vomiting unless instructed to by medical

personnel. Get medical attention if nausea or stomach pains occur.

Date issued: 13 May 2020 Page 2 of 7



Skin contact: Remove contaminated clothing and shoes. Wash skin with soap and water. Get

medical attention if irritation symptoms occur. High pressure injection under skin is a

medical emergency.

Eye contact: Check for and remove any contact lenses. Immediately flush eyes with running water

for at least 5 minutes, keeping eyelids open. Get medical attention if redness or

irritation persists.

5. FIRE-FIGHTING MEASURES

Suitable media: Use dry chemical, CO₂, water spray (fog) or foam.

Not suitable: Do not use water jet.

Combustion products: Carbon monoxide, carbon dioxide, products of incomplete

hydrocarbon combustion, lead oxides, zinc oxides.

Special protective equipment

for fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus with a full face-piece operated in

positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear appropriate personal protection equipment (see section 8). **Environmental precautions:** Recover free product. Use suitable oil adsorbent and dispose of

material in accordance with all regulations. Keep product out of sewers and watercourses, prevent soil penetration. Advise authorities if large

amounts of product enters waterways or extensive land areas.

7. HANDLING AND STORAGE

Handling: Wear appropriate personal protection equipment (see section 8). Do

not eat, drink or smoke when using. Wash thoroughly after handling.

Follow good hygiene and housekeeping practices.

Storage: Store in cool dry area in original or equivalent container in accordance

with all regulations. Do not expose to extreme heat or flame. Store

below 65°C, away from strong oxidizers and acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

Chemical name	CAS no.	Control parameter	Basis	
Lead	7439-92-1	TWA: 0.05 mg/m ³	ACGIH TLV	
Copper	7440-50-8	TWA: 1 mg/m ³	ACGIH TLV	

Engineering controls: Use with adequate ventilation.

Eye/face protection: Safety glasses. Ensure eye bath is to hand.

Hand protection: Protective gloves if prolonged or repeated contact is unavoidable. **Skin protection:** No additional protection required beyond normal industrial attire is

required.

Date issued: 13 May 2020 Page 3 of 7



Respiratory protection: No special measures required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and odor:

pH:

Not applicable, insoluble in water

Flash point:

>200°C (Cleveland open cup)

Evaporation rate: No data

Upper flammability limit:Not applicableLower flammability limit:Not applicable

Vapor pressure:No dataVapor density:No dataRelative density:2.0

Solubility: Insoluble in water, soluble in alcohols and petroleum distillates

Viscosity: Cone penetration 300-330

10. STABILITY AND REACTIVITY

Chemical stability: Stable

Conditions to avoid: Extreme heat Incompatible materials: Strong oxidizers

Hazardous decomposition

products: Harmful or flammable vapors, lead oxides, zinc oxides

11. TOXICOLOGICAL INFORMATION

Potential acute health effects

Acute toxicity:

Ingestion: Harmful if swallowed

Skin contact: No know effect

Inhalation: Harmful if inhaled, but not considered significant route of entry Irritation: May cause mild redness and discomfort on contact with eyes

Corrosivity: Not corrosive

Potential chronic health effects

Sensitization: Not a sensitizer

Repeated dose toxicity: Repeated exposure may cause drying of skin from loss of skin oils

Carcinogenicity: No ingredients listed as carcinogens

Mutagenicity: Not mutagenic

Reproductive toxicity: May damage the unborn child. Suspected of damaging fertility.

STOT repeated exposure: May causes damage to organs (central nervous system, reproductive

system) through prolonged or repeated exposure

12. ECOLOGICAL INFORMATION

Ecotoxicity: Very toxic to aquatic life with long lasting effects

Date issued: 13 May 2020 Page 4 of 7



Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia
Lead		Ciprinus carpio, 96h, LC50: 0.44 mg/L	Daphnia magna, 48h, EC50: 600 μg/L
		Oncorhynchus mykiss, 96h, LC50:	
		1.17 mg/L	
		Oncorhynchus mykiss, 96h, LC50:	
		1.32 mg/L	
Zinc	Pseudokirchneriella subcapitata, 96h,	Pimephales premelas 96h, LC50:	Daphnia magna, 48h, EC50: 0.139-0.908
	EC50: 0.11-0.271 mg/L	2.16-3.05 mg/L	mg/L
	Pseudokircheriella subcapitata, 72h,	Pimephales promelas, 96h, LC50:	
	EC50: 0.09-0.125 mg/L	0.211-0.269 mg/L	
		Pimephales promelas, 96h, LC50:	
		2.66 mg/L	
		Cyprinus carpio, 96h, LC50:	
		30 mg/L	
		Cyprinus carpio, 96h, LC50:	
		0.45 mg/ l	
		Cyprinus carpio, 96h, LC50:	
		7.8 mg/L	
		Onchorhynchus mykiss, 96h, LC50:	
		0.59 mg/L	
		Onchorhynchus mykiss, 96h, LC50:	
		0.59 mg/L	
		Onchorhynchus mykiss, 96h, LC50:	
		0.41 mg/L	
Copper		Pimephales promelas, 96h, LC50:	Daphnia magna, 48H EC50: 0.0318 mg/L
		0.0094 mg/L	Daphnia magna, 48H EC50: 0.036 mg/L
		Pimephales promelas, 96h, LC50:	Daphnia magna, 48H EC50: 0.055 mg/L
		0.0103 mg/L	
		Pimephales promelas, 96h, LC50:	
		0.0278 mg/L	

Persistence/degradability:No information availableMobility:No information availableOther adverse effects:No information available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Generation of waste should be avoided or minimized where possible.

Empty containers may contain residue. Dispose of as hazardous waste via licensed waste disposal operator. Follow all applicable regulations.

14. TRANSPORT INFORMATION

Transport information according to US DOT UN number: UN3077

Proper shipping name: RQ, Environmentally hazardous substance, solid, n.o.s. (lead)

Hazard class: Class 9
Packing group PGIII

Transport information according to ADR, RID, ADN, IMDG, ICAO, IATA

UN number: UN3077

Date issued: 13 May 2020 Page 5 of 7



Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (lead)

Hazard class: Class 9
Packing group PGIII

Additional information: Marine pollutant

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific to product: None known <u>US Regulations</u>

SARA 302 Components: Chemicals in this material that are subject to the reporting requirements of

SARA Title II, Section 302: Lead, CAS-No. 7439-92-1 SARA 313 Components: Lead, CAS-No. 7439-92-1

SARA 311/312 Hazards: Acute health hazard, chronic health hazard

State Regulations

California Prop 65: WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm (lead and lead compounds).

United States inventory (TSCA): All ingredients listed or exempt.

Massachusetts Right to Know: Lead, CAS-No. 7439-92-1; zinc, CAS-No. 7440-66-6; copper, CAS-no.

7440-50-8

Pennsylvania Right to Know: Lead, CAS-No. 7439-92-1; zinc, CAS-No. 7440-66-6; copper, CAS-no.

7440-50-8

New Jersey Right to Know: Lead, CAS-No. 7439-92-1; zinc, CAS-No. 7440-66-6; copper, CAS-no. 7440-

50-8

International regulations

Canada: WHMIS Classification: D2A. **WHMIS:** This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. **Canada Domestic Substances List:** All ingredients listed or exempt.

Europe inventory (EINECS): All ingredients listed or exempt.

Australia inventory (AICS): All ingredients listed or exempt.

China inventory (IECSC): All ingredients listed or exempt.

Philippines inventory (PICCS): All ingredients listed or exempt.


16. OTHER INFORMATION

Hazardous Material Information System (USA):

HEALTH	2*
FIRE	1
REACTIVITY	0
PERSONAL PROTECTION	В

Date issued: 13 May 2020 Page 6 of 7





Revision information: Original GHS issue 12 May 2015. Rev 1: added info to Section 15, removed redundant info in Section 16.

END OF SAFETY DATA SHEET

Date issued: 13 May 2020 Page 7 of 7